

Printing date 10.01.2022

Page 1/5

Revision: 14.05.2019

<u> </u>	
1 Identification of the substance or mixture and of the supplier	
· Product identifier	
 Trade name: <u>RENOLIN UNISYN OL 68</u> Product Code: Y234 	
 Details of the supplier of the safety data sheet Manufacturer/Supplier: Fuchs Lubricants South Africa (PTY) LTD 7 Diesel Road, Isando 1600, Gauteng Tel: +27 11 565 9600 (Switch Board) ZA-Technical@fuchs.com 	
 Informing department: Fuchs safety department Tel: +27 011 565 9600 Fax:+27 011 392 5688 Emergency telephone number: Technical Director: Dr. Siphilisiwe Ndlovu Tel: +27 082 525 0172 	
2 Hazards identification	
 <u>Classification</u> of the substance or mixture The product has not been classified as hazardous, but needs to be labelled according to regulation (EU) 1 (CLP) 	272/2008
The product is not classified, according to the Globally Harmonised System (GHS).	
 Label elements GHS label elements Void Hazard pictograms Void Signal word Void Hazard statements Void Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 	
3 Composition/information on ingredients	
· Description: Mixture of synthetic base oils with additives.	
 Concentration range % Void Additional information For the wording of the listed hazard phrases refer to section 16. 	
4 First aid measures	
 Description of first aid measures General information Instantly remove any clothing soiled by the product. After inhalation Supply fresh air; consult doctor in case of symptoms. After skin contact Wash with soap and water. The product is not skin irritating After eye contact Rinse opened eye for several minutes under running water. After swallowing Rinse mouth thoroughly.In case of persistent symptoms consult doctor. Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information availal Indication of any immediate medical attention and special treatment needed No further relevant information available. 	ble.
5 Fire-fighting measures	
 Extinguishing media Suitable extinguishing agents CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foar water with suitable surfactant 	m or spray
	d. on page 2)



Page 2/5

Printing date 10.01.2022

Revision: 14.05.2019

Trade name: RENOLIN UNISYN OL 68

• Special hazards arising from the substance or mixture No further relevant information available • Advice for firefighters	
• Protective equipment: Self-contained breathing apparatus and full protective clothing must be wo	In case of fire.
6 Accidental release measures	
 Personal precautions, protective equipment and emergency procedures In case of spills, beware of slippery floors and surfaces. Environmental precautions: Do not allow to enter drainage system, surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal. 	
7 Handling and storage	
 Handling Precautions for safe handling Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take us when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventil Information about protection against explosions and fires: Self-contained breathing apparatus and full protective clothing must be worn in case of fire. 	•
 Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and containers: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: None. Specific end use(s) No further relevant information available. 	
8 Exposure controls/personal protection	
 Control parameters Additional information: The lists that were valid during the compilation were used as basis. 	
· Exposure controls	
 Personal protective equipment General protective and hygienic measures The usual precautionary measures should be adhered to in handling the chemicals or the mineral or Breathing equipment: Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapor Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the prepara Selection of the glove material on consideration of the penetration times, rates of diffusion and the Material of gloves Material: Nitrile butyl rubber (NBR). Avoid long-term and repeated skin contact. Suitable gloves car by the glove supplier. Penetration time of glove material Material: Nitrile butyl rubber (NBR). Avoid long-term and repeated skin contact. Suitable gloves car by the glove supplier. Penetration time of glove material Material: Nitrile butyl rubber (NBR). Avoid long-term and repeated skin contact. Suitable gloves car by the glove supplier. Penetration time of glove material Material: Nitrile butyl rubber (NBR). Avoid long-term and repeated skin contact. Suitable gloves car by the glove supplier. Penetration time of glove material Material: Nitrile butyl rubber (NBR). Avoid long-term and repeated skin contact. Suitable gloves car by the glove supplier. Penetration time of glove material Material: Nitrile butyl rubber (NBR). Avoid long-term and repeated skin contact. Suitable gloves car by the glove supplier. Penetration time of glove material Material: Nitrile butyl rubber (NBR). Avoid long-term and repeated skin contact. Suitable gloves car by the glove supplier. Penetration time of glove material Material: Nitrile butyl rubber (NBR). Avoid long-term and repeated skin contact. Suitable gloves car by the glove supplier. For the perm	our/ aerosol. ation. degradation. n be recommended n be recommended afety directions. The
 General protective and hygienic measures The usual precautionary measures should be adhered to in handling the chemicals or the mineral or Breathing equipment: Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapor Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the prepara Selection of the glove material on consideration of the penetration times, rates of diffusion and the Material of gloves Material of gloves Material: Nitrile butyl rubber (NBR). Avoid long-term and repeated skin contact. Suitable gloves car by the glove supplier. Penetration time of glove material Material: Nitrile butyl rubber (NBR). Avoid long-term and repeated skin contact. Suitable gloves car by the glove supplier. Penetration time of glove material Material: Nitrile butyl rubber (NBR). Avoid long-term and repeated skin contact. Suitable gloves car by the glove supplier. Penetration time of glove material Material: Nitrile butyl rubber (NBR). Avoid long-term and repeated skin contact. Suitable gloves car by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to se exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. For the permanent contact gloves made of the following materials are suitable: Nitrile rubber 	bur/ aerosol. ation. degradation. h be recommended h be recommended afety directions. The



Printing date 10.01.2022

Revision: 14.05.2019

Page 3/5

Trade name: RENOLIN UNISYN OL 68	Trade name: R	ENOLIN UNISYN OL 68
----------------------------------	---------------	---------------------

Physical and chemical properties		
Information on basic physical and cher General Information	mical properties	
Appearance: Form:	Liquid	
Colour:	Liquid Light yellow	
Smell:	Characteristic	
Odour threshold:	Not applicable for mixtures.	
pH-value:	Not applicable	
Change in condition Melting point/freezing point: Initial boiling point and boiling range	Not determined : No data available.	
Flash point:	265 °C (EN ISO 2592)	
Inflammability (solid, gaseous)	Not applicable.	
Decomposition temperature:	Not determined.	
Self-inflammability:	Value not relevant for classification	
Explosive properties:	Product is not explosive.	
Critical values for explosion:		
Lower: Upper:	Not determined. Not determined.	
Vapour pressure:	Not determined.	
Density at 20 °C Relative density Vapour density Evaporation rate	0.84 g/cm³ (DIN 51 757) Not determined. Not determined. Not determined.	
Solubility in / Miscibility with Water:	Not miscible or difficult to mix	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity or Consistency-Class:		
dynamic:	Not determined.	
kinematic at 40 °C:	68 mm²/s (DIN 51 562)	
Solvent content (VOC): Solids content:	0.0 %	



Safety Data Sheet

in accordance with SANS 10234:2019

Printing date 10.01.2022

Revision: 14.05.2019

(Contd. of page 3)

Page 4/5

Trade name: RENOLIN UNISYN OL 68 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity
- · Primary irritant effect:
- · Dermal

Based on available data, the classification criteria are not met.Based on available data, the classification criteria are not met.

- Serious eye damage/irritation No irritant effect known.
- Respiratory or skin sensitisation No sensitizing effect known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version. When used and handled according to specifications, the product does not have any harmful effects according to our information.

12 Ecological information

- Toxicity
- · Aquatic toxicity: No data available.
- Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- **Mobility in soil** No further relevant information available.
- · Additional ecological information:
- General notes:

German Water Endangering Class 2 (Self-assessment): hazardous for water. Do not allow product to reach ground water, water bodies or sewage system.

- Danger to drinking water if even small quantities leak into soil.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

Recommendation

Smaller quantities have to be disposed in line with local legislation.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

• **Recommendation:** Dispose of small non retournable packagings according to local regulations on the disposal of packagings.

14 Transport information

UN proper shipping name ADR Transport hazard class(es) Packing group Environmental hazards: Special precautions for user	Void Not applicable Not applicable Not applicable. Not applicable.	
Transport in bulk according to Annex II of M the IBC Code UN "Model Regulation":	Not applicable. Void	

(Contd. on page 5)



Printing date 10.01.2022

Trade name: RENOLIN UNISYN OL 68

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations
- German Water Hazard Class: Water Endangering Class 2 (Self-assessment): hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

<u>16 Other information</u> The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies. The classification results from the Conventional Method mentioned in regulation EU 1272/2008 (CLP).

Page 5/5

(Contd. of page 4)

Revision: 14.05.2019