

Trade name: LUKOIL NAVIGREASE CSX 2

Product no.: auto11631

Current version : 5.0.2, issued: 16.02.2022

Replaced version: 5.0.1, issued: 24.01.2022

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

LUKOIL NAVIGREASE CSX 2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Grease

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

LUKOIL Marine Lubricants DMCC

c/o «LLK-INTERNATIONAL»

6, Malaya Yakimanka

119180 Moscow, Russia

Telephone no. +7-495-627 44 49

Fax no. +7-495-627 40 20

Information provided by / telephone

+7-495-627 44 49 (9:00 - 17:00)

Advice on Safety Data Sheet

sdb_info@umco.de

Information about the distributor

Address

LUKOIL Marine Lubricants Germany GmbH

Alsterufer 20

20354 Hamburg

Telephone no. +49 40 180 4220 0

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms

-

Signal word

-

Hazard statement(s)

-

Trade name: LUKOIL NAVIGREASE CSX 2

Product no.: auto11631

Current version : 5.0.2, issued: 16.02.2022

Replaced version: 5.0.1, issued: 24.01.2022

Region: GB

Hazard statements (EU)

EUH210 Safety data sheet available on request.

Precautionary statement(s)

-

Labelling information

The labelling (EU hazard statements) meets the criteria of annex II of Directive (EC) Nr. 1272/2008 (CLP).

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable. The product is not a substance.

3.2 Mixtures**Hazardous ingredients**

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	Naphthenic acids, zinc salts			
	12001-85-3 234-409-2 - -	Aquatic Chronic 2; H411 Skin Irrit. 2; H315 Eye Irrit. 2; H319	< 2.50	wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

SECTION 4: First aid measures**4.1 Description of first aid measures****General information**

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Irregular breathing/no breathing: artificial respiration.

After skin contact

Wash off immediately with soap and water.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.).

After ingestion

Do not induce vomiting. Call a doctor immediately. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Foam; Extinguishing powder; Water spray jet; Carbon dioxide

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixtureIn the event of fire, the following can be released: Carbon dioxide (CO₂); Carbon monoxide (CO)

Trade name: LUKOIL NAVIGREASE CSX 2

Product no.: auto11631

Current version : 5.0.2, issued: 16.02.2022

Replaced version: 5.0.1, issued: 24.01.2022

Region: GB

5.3 Advice for firefighters

Cool endangered containers with water spray jet. Use self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Prevent spread over a wide area (by containment with sand or earth). Take up with absorbent material (e.g., sand, kieselguhr, universal binder). When collected, handle material as described under the section heading "Disposal considerations".

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Remove soiled or soaked clothing immediately. Avoid contact with eyes and skin. Do not inhale vapours. Provide eye wash fountain in work area. Have emergency shower available.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a well-ventilated place. Protect from heat and direct sunlight.

Recommended storage temperature

Value < 50 °C

Requirements for storage rooms and vessels

Store product in closed containers. Storage rooms must be properly ventilated. Emptied containers may contain product residues and therefore must be handled with care.

Reuse only after appropriate cleaning. Always keep in containers of same material as the original.

Incompatible products

None known

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

No parameters available for monitoring.

8.2 Exposure controls

Trade name: LUKOIL NAVIGREASE CSX 2

Product no.: auto11631

Current version : 5.0.2, issued: 16.02.2022

Replaced version: 5.0.1, issued: 24.01.2022

Region: GB

Appropriate engineering controls

No data available.

Personal protective equipment**Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Normal chemical work clothing, rubber boots

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties****State of aggregation**

liquid

Form/Colour

semi-solid

light brown

Odour

specific

pH value

No data available

Boiling point / boiling range

No data available

Melting point/freezing point

No data available

Decomposition temperature

No data available

Flash point

Value > 150 °C

Ignition temperature

No data available

Flammability

No data available

Lower explosion limit

No data available

Upper explosion limit

No data available

Vapour pressure

no data available

Trade name: LUKOIL NAVIGREASE CSX 2

Product no.: auto11631

Current version : 5.0.2, issued: 16.02.2022

Replaced version: 5.0.1, issued: 24.01.2022

Region: GB

Relative vapour density

No data available

Relative density

No data available

Density

no data available

Solubility

No data available

Partition coefficient n-octanol/water (log value)

No data available

Viscosity

No data available

Particle characteristics

No data available

9.2 Other information**Other information**

No data available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No data available.

10.2 Chemical stability

No data available.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

None, if handled according to intended use.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute oral toxicity**

No Product Name

1 LUKOIL NAVIGREASE CSX 2

Comments No data available.

Acute dermal toxicity

No Product Name

1 LUKOIL NAVIGREASE CSX 2

Comments No data available.

Acute inhalational toxicity

No Product Name

1 LUKOIL NAVIGREASE CSX 2

Comments No data available.

Skin corrosion/irritation

Trade name: LUKOIL NAVIGREASE CSX 2

Product no.: auto11631

Current version : 5.0.2, issued: 16.02.2022

Replaced version: 5.0.1, issued: 24.01.2022

Region: GB

No	Product Name
1	LUKOIL NAVIGREASE CSX 2
Comments	No data available.
Serious eye damage/irritation	
No	Product Name
1	LUKOIL NAVIGREASE CSX 2
Comments	No data available.
Respiratory tract irritation	
Comments	No data available.
Respiratory or skin sensitisation	
No data available	
Germ cell mutagenicity	
No data available	
Reproduction toxicity	
No data available	
Carcinogenicity	
No data available	
STOT - single exposure	
No data available	
STOT - repeated exposure	
No data available	
Aspiration hazard	
No data available	
Delayed and immediate effects as well as chronic effects from short and long-term exposure	
Repeated and prolonged skin contact may cause removal of natural fat from the skin and irritation of the skin. Eye contact with the product may cause slight irritation. Inhalation of vapours from the heated product can cause irritation of the respiratory tract and the eyes.	

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)	
No	Product Name
1	LUKOIL NAVIGREASE CSX 2
Comments	No data available.
Toxicity to fish (chronic)	
No data available	
Toxicity to Daphnia (acute)	
No	Product Name
1	LUKOIL NAVIGREASE CSX 2
Comments	No data available.
Toxicity to Daphnia (chronic)	
No data available	
Toxicity to algae (acute)	
No	Product Name

Trade name: LUKOIL NAVIGREASE CSX 2

Product no.: auto11631

Current version : 5.0.2, issued: 16.02.2022

Replaced version: 5.0.1, issued: 24.01.2022

Region: GB

1	LUKOIL NAVIGREASE CSX 2
Comments	No data available.

Toxicity to algae (chronic)
No data available

Bacteria toxicity	
No	Product Name
1	LUKOIL NAVIGREASE CSX 2
Comments	No data available.

12.2 Persistence and degradability

Biodegradability	
No	Product Name
1	LUKOIL NAVIGREASE CSX 2
Evaluation	not readily biodegradable

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

Mobility in soil	
No	Product Name
1	LUKOIL NAVIGREASE CSX 2
Comments	A base oil component of this product floats and can migrate from water to land.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

Trade name: LUKOIL NAVIGREASE CSX 2

Product no.: auto11631

Current version : 5.0.2, issued: 16.02.2022

Replaced version: 5.0.1, issued: 24.01.2022

Region: GB

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances subject to restriction as listed in Annex XVII of the REACH regulation (EC) 1907/2006.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

National regulations**National chemical inventories**

USA (TSCA) listed

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information**Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

Trade name: LUKOIL NAVIGREASE CSX 2

Product no.: auto11631

Current version : 5.0.2, issued: 16.02.2022

Replaced version: 5.0.1, issued: 24.01.2022

Region: GB

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 617635